



Project Gutenberg's The Botanical Magazine, Vol. 3, by William Curtis

This eBook is for the use of anyone anywhere at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org

Title: The Botanical Magazine, Vol. 3
Or, Flower-Garden Displayed

Author: William Curtis

Release Date: February 3, 2006 [EBook
#17672]

Language: English

*** START OF THIS PROJECT GUTENBERG
EBOOK THE BOTANICAL MAGAZINE, VOL. 3 ***

Produced by Jason Isbell, Janet
Blenkinship and the Online
Distributed Proofreaders Europe at
<http://dp.rastko.net>

THE

BOTANICAL MAGAZINE;

OR,

FLOWER-GARDEN DISPLAYED:

IN WHICH

The most Ornamental FOREIGN PLANTS,
cultivated in the Open Ground, the
Green-House, and the Stove, are
accurately represented in their natural
Colours.

TO WHICH ARE ADDED,

Their Names, Class, Order, Generic and
Specific Characters, according to the

celebrated LINNÆUS; their Places of
Growth, and Times of Flowering:

TOGETHER WITH

**THE MOST APPROVED
METHODS OF CULTURE.**

A WORK

Intended for the Use of such LADIES,
GENTLEMEN, and GARDENERS, as wish to
become scientifically acquainted with
the Plants they cultivate.

By WILLIAM CURTIS,

Author of the FLORA LONDINENSIS.

VOL. III

"The spleen is seldom
felt where Flora reigns;
The low'ring eye, the
petulance, the frown,
And sullen sadness,
that o'ershade, distort,
And mar the face of

beauty, when no cause
For such immeasurable
woe appears;
These Flora banishes,
and gives the fair
Sweet smiles and
bloom, less transient
than her own."

COWPER.

LONDON:

Printed by COUCHMAN and FRY,
Throgmorton-Street,
For W. CURTIS, at his BOTANIC-GARDEN,
Lambeth-Marsh;
And Sold by the principal Booksellers
in Great-Britain and Ireland.

M DCC XC.



CONTENTS

[73]—MONSONIA SPECIOSA.

[74]—ANTIRRHINUM TRISTE.

[75]—POTENTILLA
GRANDIFLORA.

[76]—EPILOBIUM
ANGUSTISSIMUM.

[77]—CENTAUREA
MONTANA.

[78]—NARCISSUS ODORUS.

[79]—LOTUS JACOBÆUS.

[80]—SPIGELIA
MARILANDICA.

[81]—COLUTEA

ARBORESCENS.

[82]—LACHENALIA

TRICOLOR.

[83]—HIBISCUS SYRIACUS.

[84]—TUSSILAGO ALPINA.

[85]—SPARTIUM JUNGEUM.

[86]—GLADIOLUS

COMMUNIS.

[87]—HYOSCYAMUS

AUREUS.

[88]—NARCISSUS

BULBOCODIUM.

[89]—VIOLA PEDATA.

[90]—GORTERIA RIGENS.

[91]—IRIS SUSIANA.

[92]—SAXIFRAGA

SARMENTOSA.
[93]—SEMPERVIVUM
MONANTHES.

[94]—SISYRINCHIUM
IRIODES.

[95]—GERANIUM RADULA.

[96]—LANTANA ACULEATA.

[97]—FUCHSIA COCCINEA.

[98]—TROPÆOLUM MINUS.

[99]—ANTIRRHINUM
PURPUREUM.

[100]—LATHYRUS
TINGITANUS.

[101]—ALYSSUM
HALIMIFOLIUM.

[102]—CAMPANULA
SPECULUM.

[103]—PELARGONIUM
ACETOSUM.

[104]—LYSIMACHIA
BULBIFERA.

[105]—TRADESCANTIA
VIRGINICA.

[106]—IBERIS UMBELLATA.

[107]—CASSIA
CHAMÆCRISTA.

[108]—ANTHYLLIS
TETRAPHYLLA.

INDEX.—Latin Names.

INDEX.—English
Names.



[73]

MONSONIA SPECIOSA. LARGE-FLOWER'D
MONSONIA.

Class and Order.

POLYADELPHIA DODECANDRIA.

Generic Character.

Cal. 5-phyllus. *Cor.* 5-petala.
Stam. 15. connata in 5 filamenta.
Stylus 5-fidus. *Caps.* 5-cocca.

Specific Character and Synonyms.

MONSONIA *speciosa* foliis

quinatis: foliolis bipinnatis, *Lin.*
Syst. Vegetab. p. 697.

MONSONIA grandiflora. *Burm.*
prodr. 23.



Nº73

The genus of which this charming plant is the most distinguished species, has been named in honour of *Lady Anne Monson*. The whole family are natives of the Cape, and in their habit and fructification bear great affinity to the *Geranium*. The present species was introduced into this country in 1774, by Mr. MASSON.

We received this elegant plant just as it was coming into flower, from Mr. COLVILL, Nurseryman, King's-Road, Chelsea, who was so obliging as to inform me that he had succeeded best in propagating it by planting cuttings of the root in pots of mould, and plunging them in a tan-pit, watering them as occasion may require; in due time buds appear on

the tops of the cuttings left out of the ground.

It rarely or never ripens its seed with us.

Should be treated as a hardy greenhouse plant; may be sheltered even under a frame, in the winter.



[74]

ANTIRRHINUM TRISTE. MELANCHOLY OR BLACK-
FLOWER'D TOAD-FLAX.

Class and Order.

DIDYNAMIA ANGIOSPERMIA.

Generic Character.

Cal. 5-phyllus. *Cor.* basis
deorsum prominens, nectarifera.
Caps. 2. locularis.

Specific Character and Synonyms.

ANTIRRHINUM *triste* foliis

linearibus sparsis inferioribus
oppositis nectariis subulatis,
floribus sub-sessilibus. *Lin. Syst.*
Vegetab. p. 555.

LINARIA tristis hispanica. *Dill.*
Elth. 201. t. 164. f. 199.



Nº74

Receives its name of *triste* from the sombre appearance of its flowers; but this must be understood when placed at some little distance, for, on a near view, the principal colour of the blossoms is a fine rich brown, inclined to purple.

Is a native of Spain, and of course a greenhouse plant with us, but it must not be too tenderly treated, as it loses much of its beauty when drawn up, it should therefore be kept out of doors when the season will admit, as it only requires shelter from severe frost, and that a common hot-bed frame will in general sufficiently afford it.

It flowers during most of the summer months; as it rarely or never ripens its

seeds with us, the usual mode of propagating it, is by cuttings, which strike readily enough in the common way.

MILLER relates that it was first introduced into this country by Sir CHARLES WAGER, from Gibraltar seeds.

[75]

POTENTILLA GRANDIFLORA. LARGE-FLOWER'D
POTENTILLA.

Class and Order.

ICOSANDRIA POLYGYNIA.

Generic Character.

Cal. 10-fidus. *Petala* 5. *Sem.*
subrotunda, nuda, receptaculo
parvo exsucco affixa.

Specific Character and Synonyms.

POTENTILLA *grandiflora* foliis

ternatis dentatis utrinque
subpilosus, caule decumbente
foliis longiore, *Lin. Syst. Vegetab.*
p. 715.

FRAGARIA sterilis, amplissimo
folio et flore petalis cordatis,
Vaill. Paris. 55. t. 10. f. 1.



Nº75

Culture is well known to produce great alterations in the appearance of most plants, but particularly in those which grow spontaneously on dry mountainous situations, and this is strikingly exemplified in the present instance, this species of *Potentilla*, becoming in every respect much larger, as well as much smoother than in its natural state. *Vid.* VAILL. above quoted.

It is a hardy herbaceous plant, a native of Switzerland, Siberia, and other parts of Europe, and flowers in July.

LINNÆUS considers it as an annual; MILLER, as a biennial; we suspect it to be, indeed have little doubt of its being a perennial; having propagated it by parting its roots,

but it may be raised more successfully
from seed.



[76]

EPILOBIUM ANGUSTISSIMUM. NARROWEST LEAVD
WILLOW-HERB.

Class and Order.

OCTANDRIA MONOGYNIA.

Generic Character.

Cal. 4-fidus. *Petala* 4. *Caps.*
oblonga, infera. *Sem.* papposa.

Specific Character and Synonyms.

EPILOBIUM angustifolium, foliis
sparsis linearibus obsolete

denticulatis aveniis, petalis
æqualibus integerrimis, *Ait. Hort.*
Kew. 2. p. 5.

EPILOBIUM *angustifolium*, var.
Lin. Sp. Pl.

EPILOBIUM flore difformi, foliis
linearibus. *Hall, Hist. Helv. p.*
427. n. 1001.



Nº76

Though the *Epilobium* here figured has not been many years introduced into this country, it is a plant which has long been well known, and described.

LINNÆUS makes it a variety only of the *Epilobium angustifolium*; HALLER, a distinct species, and in our opinion, most justly.

Those who have cultivated the *Epilobium angustifolium* have cause to know that it increases prodigiously by its creeping roots. The present plant, so far as we have been able to determine from cultivating it several years, in our Garden, Lambeth-Marsh, has not shewn the least disposition to increase in the same way, nor have any seedlings arisen

from the seeds which it has spontaneously scattered: we have, indeed, found it a plant rather difficult to propagate, yet it is highly probable that at a greater distance from London, and in a more favourable soil, its roots, though not of the creeping kind, may admit of a greater increase, and its seeds be more prolific.

It is a native of the Alps of Switzerland, from whence it is frequently dislodged, and carried into the plains by the impetuosity of torrents.

It flowers with us in July and August, and being a hardy perennial, and perhaps the most elegant species of the genus, appears to us highly deserving a place in

the gardens of the curious.



[77]

CENTAUREA MONTANA. GREATER BLUE-BOTTLE.

Class and Order.

SYNGENESIA POLYGAMIA FRUSTRANEA.

Generic Character.

Receptaculum setosum. Pappus
simplex. Corollæ radii
infundibuliformes, longiores,
irregulares.

Specific Character and Synonyms.

CENTAUREA montana calycibus

serratis, foliis lanceolatis
decurrentibus caule simplicissimo.
Lin. Syst. Vegetab. p. 785.

CYANUS montanus latifolius S.
Verbasculum cyanoides. *Bauh.
Pin. 273.*

CYANUS major. *Lobel. icon.
548.*



Nº77

It has been suggested by some of our readers, that too many common plants, like the present, are figured in this work. We wish it to be understood, that the professed design of the Botanical Magazine is to exhibit representations of such. We are desirous of putting it in the power of all who cultivate or amuse themselves with plants, to become scientifically acquainted with them, as far as our labours extend; and we deem it of more consequence, that they should be able to ascertain such as are to be found in every garden, than such as they may never have an opportunity of seeing. On viewing the representations of objects of this sort, a desire of seeing the original is naturally excited, and the

pleasure is greatly enhanced by having it in our power to possess it. But, while we are desirous of thus creating Botanists, we are no less anxious to gratify the wishes of those already such; and we believe, from a perusal of the Magazine, it will appear that one-third of the plants figured, have some pretensions to novelty.

The *Centaurea montana* is a native of the German Alps, flowers during the greatest part of the summer, is a hardy perennial, and will grow in any soil or situation, some will think too readily.

[78]

NARCISSUS ODORUS. SWEET-SCENTED, OR GREAT
JONQUIL.

Class and Order.

HEXANDRIA MONOGYNIA.

Generic Character.

Petala 6-æqualia. *Nectario*
infundibuliformi, 1-phyllo.
Stamina intra nectarium.

Specific Character and Synonyms.

NARCISSUS *odorus* spatha sub-

biflora, nectario campanulato
sexfido lævi dimidio petalis
breviore, foliis semicylindricis.
Lin. Syst. Vegetab. p. 317.

NARCISSUS angustifolius, five
juncifolius maximus amplo calice.

The Great Jonquilia with the large
flower or cup. *Park Parad. p. 89.*
fig. 5.



Nº78

We shall be thought, perhaps, too partial to this tribe of plants, this being the fifth species now figured; but it should be remembered, that as the spring does not afford that variety of flowers which the summer does, we are more limited in our choice; the flowers of this delightful season have also greater claims to our notice, they present themselves with double charms.

This species, which, as its name implies, possesses more fragrance than many of the others, is a native of the South of Europe, flowers in the open border in April, is a hardy-perennial, thriving in almost any soil or situation, but succeeds best in a loamy soil and eastern exposure. Varies with double flowers, in

which slate it is often used for forcing.

No notice is taken of this species by MILLER, except as a variety of the N. *Jonquilla*, from which it differs *toto calo*.



[79]

LOTUS JACOBÆUS. BLACK-FLOWER'D LOTUS.

Class and Order.

DIADELPHIA DECANDRIA.

Generic Character.

Legumen cylindricum strictum.
Alæ sursum longitudinaliter
conniventes. *Cal.* tubulosus.

Specific Character and Synonyms.

LOTUS *Jacobæus* leguminibus
subternatis, caule herbaceo erecto,

foliolis linearibus. *Lin. Syst. Veg.*
601.

LOTUS angustifolia, flore luteo
purpurascente, infulæ S. Jacobi.
Comm. hort. 2. p. 165. t. 83.



Nº79

This species of *Lotus* has been called black-flower'd, not that the flowers are absolutely black, for they are of a very rich brown inclined to purple, but because they appear so at a little distance; the light colour of the foliage contributes not a little to this appearance.

"It grows naturally in the Island of St. James; is too tender to live abroad in England, so the plants must be kept in pots, and in the winter placed in a warm airy glass case, but in the summer they should be placed abroad in a sheltered situation. It may be easily propagated by cuttings during the summer season, and also by seeds, but the plants which have been two or three times propagated by

cuttings, seldom are fruitful." *Miller's Gard. Dict.*

It continues to flower during the whole of the summer; as it is very apt to die off without any apparent cause, care should be taken to have a succession of plants from seeds, if possible.



SPIGELIA MARILANDICA. MARYLAND SPIGELIA,
OR WORM-GRASS.

Class and Order.

PENTANDRIA MONOGYNIA.

Generic Character.

Corolla infundibuliformis.

Capsula didyma. 2-locularis,
polysperma.

Specific Character and Synonyms.

SPIGELIA *Marilandica* caule

tetragono, foliis omnibus
oppositis. *Lin. Syst. Veg. p. 197.*
Mant. 2. p. 338.

LONICERA *Marilandica*, *Spec.*
Pl. ed. 3. p. 249.

PERICLYMENI virginiani flore
coccineo planta marilandica
spicata erecta foliis conjugatis. *D.*
Sherard Raii Suppl. p. 32.
Catesb. Carol. 11. t. 78.

ANTHELMIA Indian pink. *Dr.*
Lining. Essays Physical and
Literary, Vol. 1. and Vol. 3.



Nº80

This plant, not less celebrated for its superior efficacy in destroying worms^[A], than admired for its beauty, is a native of the warmer parts of North America; the older Botanists, and even LINNÆUS, at one time considered it as a *honeysuckle*, but he has now made a new genus of it, which he has named in honour of SPIGELIUS, a Botanist of considerable note, author of the *Ifagog. in yem herbar.* published at *Leyden* in 1633.

"This plant is not easily propagated in England, for the roots make but slow increase, so that the plant is not very common in the English Gardens at present; for although it is so hardy as to

endure the cold of our ordinary winters in the open air, yet as it does not ripen seeds, the only way of propagating it is by parting of the roots; and as these do not make much increase by offsets, so the plants are scarce; it delights in a moist soil, and must not be often transplanted." *Miller's Dict.*

The scarcity of this plant, even now, is a proof of the justness of Mr. MILLER'S observation; it is in fact a very shy plant, and scarcely to be kept in this country but by frequent importation.

It flowers in June and July.

Vid. Lewis's Mater. Medica.

[81]

COLUTEA ARBORESCENS. TREE COLUTEA, OR
BLADDER SENNA.

Class and Order.

DIADELPHIA DECANDRIA.

Generic Character.

Calyx 5-fidus. *Legumen* inflatum,
basi superiore dehiscens.

Specific Character and Synonyms.

COLUTEA *arborescens* arborea
foliolis obcordatis. *Lin. Syst.*

Vegetab. p. 668.

COLUTEA vesicaria. *Bauh. Pin.*
396.

The greater Bastard Senna with
bladders. *Park. Par. 440.*



Nº81

The Bladder Senna, a native of the South of France and Italy, produces a profusion of bloom from June to August, when its inflated pods please from the singularity of their appearance; on these accounts, it is one of the most common flowering shrubs cultivated in gardens and plantations.

"It is propagated by sowing its seeds any time in the spring in a bed of common earth; and when the plants are come up, they must be kept clear from weeds, and the Michaelmas following they should be transplanted either into nursery-rows, or in the places where they are designed to remain; for if they are let grow in the seed-bed too long, they are very subject to have tap roots, which render them

unfit for transplanting; nor should these trees be suffered to remain too long in the nursery before they are transplanted, for the same reason." *Miller's Gard. Dict.*

We have learned by experience, that a very wet soil will prove fatal to these shrubs.



[82]

LACHENALIA TRICOLOR. THREE-COLOURED
LACHENALIA.

Class and Order.

HEXANDRIA MONOGYNIA.

Generic Character.

Calyx subtriphyllus, inferus,
coloratus. *Corolla* 3-petala,
receptaculo inferta. *Jacquin jun.*
in act. helv. vol. 9.

Specific Character and Synonyms.

LACHENALIA *tricolor*. Lin.
Syst, Vegetab. ed. 14. p. 314.
Jacq. Icon. pl. rarior, t. 3.

PHORMIUM *Aloides*. Lin. *Syst.*
Vegetab. ed. 14. p. 336. Suppl.
205.



Nº82

To Mr. LEE, of the Vineyard, Hammersmith, the first, and as we understand, the only Nurseryman as yet in possession of this plant, which has but lately been introduced into this country from the Cape, we are indebted for the present specimen.

Mr. JACQUIN, jun. who has figured and described it in the *Acta Helvetica*, gives it the name of *Lachenalia*, in honour of WARNERUS DE LA CHENAL, a very eminent Swiss Botanist, and the particular friend of the late illustrious HALLER. Our readers should be informed, that it had before been called by two other different names, viz. *Hyacinthus orchiodes*, and *Phormium aloides*, under the latter of which it now stands in the 14th edition

of the *Systema Vegetabilium*, as well as that of *Lachenalia*.

Its trivial name of *tricolor* it receives from the three colours observable in the flowers; but it must be noticed, that it is only at the middle period of its flowering, that these three colours are highly distinguishable; as it advances, the brilliant orange of the top flowers dies away; the spots on the leaves also, which when the plant is young, give it the appearance of an orchis, as it advances into bloom become less and less conspicuous.

Like most of the Cape plants, the *Lachenalia* requires to be sheltered in the winter; during that season it must

therefore be kept in a greenhouse, or hot-bed frame, well secured.

It flowers in the spring, but its blowing may be accelerated by the warmth of the stove, for it bears forcing well enough.

It is increased by offsets from the bulbs.



[83]

HIBISCUS SYRIACUS. SYRIAN HIBISCUS;
commonly called ALTHÆA FRUTEX.

Class and Order.

MONADELPHIA POLYANDRIA.

Generic Character.

Calyx duplex, exterior
polyphyllus. *Capsula* 5-locularis,
polysperma.

Specific Character and Synonyms.

HIBISCUS *syriacus* foliis

cuneiformi ovatis superne incis-
serratis, caule arboreo. *Lin. Syst.*
Veg. p. 630.

ALCEA arborescens syriaca.
Bauh. Pin. p. 316.

ALTHÆA frutex flore albo vel
purpureo. *Park. Par. p. 369.*



Nº83

The *Hibiscus syriacus*, known generally by the name of *Althæa frutex*, is a native of Syria, and forms one of the chief ornaments of our gardens in autumn; we view it, however, with less delight, as it is a sure indication of approaching winter.

There are many varieties of it mentioned by authors, as the *purple, red-flowered, white-flowered, variegated red and white flowered*, and the *striped-flowered*, to which may be added, another variety, lately introduced, with double flowers: it varies also in its foliage, which is sometimes marked with white, sometimes with yellow.

As from the lateness of its flowering,

and the want of sufficient warmth, it rarely ripens its seeds with us; the usual mode of increasing it is by layers, and sometimes by cuttings; but the best plants are raised from seeds. MILLER observes, that the scarce varieties may be propagated by grafting them on each other, which is the common method of propagating the sorts with striped leaves.

In the time of PARKINSON it was not looked on as a hardy shrub: he thus writes,—"they are somewhat tender, and would not be suffered to be uncovered in the winter time, or yet abroad in the garden, but kept in a large pot or tubbe, in the house or in a warme cellar, if you would have them to thrive." *Park.*

Parad.



[84]

TUSSILAGO ALPINA. ALPINE COLTSFOOT.

Class and Order.

SYNGENESIA POLYGAMIA.

Generic Character.

Receptaculum nudum. *Pappus*
simplex. *Cal.* squamæ æquales,
discum æquantes,
submembranaceæ.

Specific Character and Synonyms.

TUSSILAGO *alpina* scapo

unifloro subnudo, foliis cordato
orbiculatis crenatis utrinque
virentibus. *Lin. Syst. Vegetab. p.*
755.

TUSSILAGO alpina rotundifolia
glabra. *Bauh. Pin. 197.*



N°84

This species, a native of the Alps, of Switzerland, and Austria, is frequently kept in gardens for the sake of variety; like the rest of the genus, it flowers early in the spring, in March and April; is a very hardy perennial, increases most readily in a moist shady situation, is usually kept in pots for the convenience of sheltering it in very severe seasons; but it will grow readily enough in the open border. All plants that flower early, though ever so hardy, require some kind of shelter, previous to, and during their flowering.

Is propagated by parting its roots in autumn.

[85]

SPARTIUM JUNGEUM. SPANISH BROOM.

Class and Order.

DIADELPHIA DECANDRIA.

Generic Character.

Stigma longitudinale, supra
villosum. *Filamenta* germini
adhærentia. *Calyx* deorsum
productus.

Specific Character and Synonyms.

SPARTIUM *junceum* ramis

oppositis teretibus apice floriferis,
foliis lanceolatis. *Lin. Syst.*
Vegetab. p. 643.

SPARTIUM arborescens,
feminibus lenti similibus. *Bauh.*
Pin. 396.

Spanish Broom. *Park. Parad. p.*
442. t. 443. fig. 4.



Nº85

Grows naturally in France, Spain, Italy, and Turkey; bears our climate extremely well; is a common shrub in our nurseries and plantations, which it much enlivens by its yellow blossoms: flowers from June to August, or longer in cool seasons.

Is raised by seeds, which generally come up plentifully under the shrubs.

MILLER mentions a variety of it, which, as inferior to the common sort, does not appear to be worth cultivating.



[86]

GLADIOLUS COMMUNIS. COMMON CORN-FLAG.

Class and Order.

TRIANDRIA MONOGYNIA.

Generic Character.

Corolla sexpartita, ringens.

Stamina adscendentia.

Specific Character and Synonyms.

GLADIOLUS *communis* foliis
ensiformibus, floribus distantibus.

GLADIOLUS utrinque floridus?
Bauh. Pin. 41.

The French Corn-Flag. *Park.*
Parad. p. 189. t. 191. f. 1.



N°86

Grows wild in the corn fields of most of the warmer parts of Europe, varies with white and flesh-coloured blossoms, increases so fast, both by offsets and seeds, as to become troublesome to the cultivator; hence, having been supplanted by the Greater Corn-Flag, the *Byzantinus* of MILLER, whose blossoms are larger, and more shewy, it is not so generally found in gardens as formerly.

It flowers in June.

[87]

HYOSCYAMUS AUREUS. GOLDEN-FLOWER'D
HENBANE.

Class and Order.

PENTANDRIA DIGYNIA.

Generic Character.

Corolla infundibuliformis, obtusa.
Stamina inclinata. *Capsula*
operculata 2-locularis.

Specific Character and Synonyms.

HYOSCYAMUS *aureus* foliis

petiolatis dentatis acutis floribus
pedunculatis, fructibus pendulis.
Lin. Syst. Vegetab. p. 220.

HYOSCYAMUS creticus luteus
major. *Bauh. Pin. 169.*



Nº87

A native of Crete, and other parts of the East.

"Flowers most part of the summer, but seldom ripens seeds in England; will continue for several years, if kept in pots and sheltered in winter, for it will not live in the open air during that season; if placed under a common hot-bed frame, where it may enjoy as much free air as possible in mild weather, it will thrive better than when more tenderly treated.

"It may be easily propagated by cuttings, which if planted in a shady border and covered with hand-glasses, in any of the summer months, they will take root in a month or six weeks, and may be afterwards planted in pots and treated

like the old plants." MILLER's *Gard. Dict.*

It is, however, a more common practice to keep this plant in the stove in the winter; one advantage, at least, attends this method, we secure it with certainty.



[88]

NARCISSUS BULBOCODIUM. HOOP PETTICOAT
NARCISSUS.

Class and Order.

HEXANDRIA MONOGYNIA.

Generic Character.

Petala 6, æqualia: *Nectario*
infundibuliformi, 1-phyllo.
Stamina intra nectarium.

Specific Character and Synonyms.

NARCISSUS *Bulbocodium* spatha

uniflora, nectario turbinato petalis
majore, staminibus pistilloque
declinatis. *Lin. Syst. Vegetab. p.*
317.

NARCISSUS montanus
juncifolius, calyce aureo. *Bauhin.*
p. 53.

The greater yellow Junquilia, or
bastard Daffodil. *Park. Parad. p.*
106. t. 107. fig. 6. var. min. fig. 7.



Nº88

Grows spontaneously in Portugal; flowers in the open border about the middle of May, is an old inhabitant of our gardens, but, like the *triandrus*, is now become scarce, at least in the nurseries about London; in some gardens in Hampshire we have seen it grow abundantly: MILLER calls it the *Hoop Petticoat Narcissus*, the nectary, as he observes, being formed like the ladies hoop petticoats.

It certainly is one of the neatest and most elegant of the genus, is propagated by offsets, and should be planted in a loamy soil, with an Eastern exposure.

[89]

VIOLA PEDATA. CUT-LEAVED VIOLET.

Class and Order.

SYNGENESIA MONOGAMIA.

Generic Character.

Calyx 5-phyllus. *Cor.* 5-petala,
irregularis, postice cornuta.
Capsula supera, 3-valvis; 1-
locularis.

Specific Character and Synonyms.

VIOLA *pedata* acaulis, foliis

pedatis septempartitis. *Lin. Syst. Veget. ed. 14. Murr. p. 802. Spec. Pl. p. 1323. Gronov. Fl. Virg. ed. 2. p. 135.*

VIOLA tricolor caule nudo, foliis tenuius dissectis. *Banist. Virg.*

VIOLA inodora flore purpurascente specioso, foliis ad modum digitorum incisis. *Clayt. n. 254.*



Nº89

This species of Violet, a native of Virginia, is very rarely met with in our gardens; the figure we have given, was drawn from a plant which flowered this spring in the garden of THOMAS SYKES, Esq. at Hackney, who possesses a very fine collection of plants, and of American ones in particular.

It is more remarkable for the singularity of its foliage than the beauty of its blossoms; the former exhibit a very good example of the *folium pedatum* of LINNÆUS, whence its name.

MILLER, who calls it *multifida* from a former edition of LINNÆUS' s *Species Plantarum*, says, that the flowers are not succeeded by seeds here, hence it can

only be propagated by parting its roots.

The best mode of treating it, will be to place the roots in a pot of loam and bog earth mixed, and plunge the pot into a north border, where it must be sheltered in the winter, or taken up and kept in a common hot-bed frame.



[90]

GORTERIA RIGENS. RIGID-LEAF'D GORTERIA.

Class and Order.

SYNGENESIA POLYGAMIA FRUSTRANEA.

Generic Character.

Receptaculum nudum. *Pappus*
lanatus. *Corollæ* radii ligulatæ.
Calyx imbricatus, squamis
spinosus.

Specific Character and Synonyms.

GORTERIA *rigens* foliis

lanceolatis pinnatifidis, caule
depresso, scapis unifloris. *Lin.*
Syst. Vegetab. ed. 14. Murr. 783.
Sp. Pl. ed. 3. p. 1284.

ARCTOTIS ramis decumbentibus,
foliis lineari-lanceolatis rigidis,
subtus argenteis. *Mill. Dict. et*
Icon. t. 49.

ARCTOTHECA foliis rigidis
leniter dissectis. *Vaill. act. 1728.*
n. 9.



Nº90

The GORTERIA, of which there are several species, and most of them, like the present, natives of the Cape, has been named in honour of DAVID DE GORTER, author of the *Flora Zutphanica* and *Ingrica*; the trivial name of *rigens* is given to this species from the rigidity of its leaves, a term which it is sometimes apt to exchange for the more common botanic name of *ringens*; an instance of such mistake occurs in the 6th edition of MILLER'S *Gard. Dict.*

The greenhouse, to which it properly belongs, can scarcely boast a more shewy plant; its blossoms, when expanded by the heat of the sun, and it is only when the sun shines on them that they are fully expanded, exhibit an

unrivalled brilliancy of appearance.

It flowers in June, but rarely brings its seeds to perfection in this country, which is of the less consequence, as the plant is readily enough increased by cuttings.

It requires the common treatment of a greenhouse plant.



[91]

IRIS SUSIANA. CHALCEDONIAN IRIS.

Class and Order.

TRIANDRIA MONOGYNIA.

Generic Character.

Cor. 6-petala, inæqualis, petalis alternis geniculato-patentibus. *Stigmata* petaliformia, cucullato-bilabiata.

Specific Character and Synonyms.

IRIS *Susiana* barbata foliis

ensiformibus glabris, scapo
unifloro, petalis rotundatis. *Lin.*
Syst. Vegetab. ed. 14. p. 88.

IRIS Susiana flore maximo et albo
nigricante. *Bauh. Pin. 31.*

The great Turkey Flower-de-luce.
Park. Parad. 179.



Nº91

This species, by far the most magnificent of the Iris tribe, is a native of Persia, from a chief city of which it takes the name of Surfing; LINNÆUS informs us, that it was imported into Holland from Constantinople in 1573.

Though an inhabitant of a much warmer climate than our own, it thrives readily in the open borders of our gardens; and, in certain favourable situations, flowers freely about the latter end of May or beginning of June. It succeeds best in a loamy soil and sunny exposure, with a pure air moisture, which favours the growth of most of the genus, is injurious and sometimes even fatal to this species.

As it rarely ripens its seeds with us, it is

generally propagated by parting its roots in autumn. These are also usually imported from Holland, and may be had of the importers of bulbs at a reasonable rate.

Being liable to be destroyed by seasons unusually severe, it will be prudent to place a few roots of it in pots, either in the greenhouse or in a hot-bed frame during the winter.

It bears forcing well.



[92]

SAXIFRAGA SARMENTOSA. STRAWBERRY
SAXIFRAGE.

Class and Order.

DECANDRIA DIGYNIA.

Generic Character.

Calyx 5-partitus. *Cor.* 5-petala.

Caps. 2-rostris, 1-locularis,
polysperma.

Specific Character and Synonyms.

SAXIFRAGA *sarmentosa* foliis

radicalibus subrotundis cordatis
crenatis, sarmentis axillaribus
radicantibus, corolla irregulari,
racemo composito. *Lin. Syst. Veg.*
ed. 14. p. 412. Suppl. p. 240.



Nº92

This species of Saxifrage differing so widely from the others, both in its habit and fructification, as to create a doubt in the minds of some, whether it ought not to be considered as a distinct genus, is a native of China, and one of the many plants which have been introduced into our gardens since the time of MILLER.

Its round variegated leaves, and strawberry-like runners, the uncommon magnitude of the two lowermost pendant petals, joined to the very conspicuous glandular nectary in the centre of the flower, half surrounding the germen, render this species strikingly distinct.

It is properly a greenhouse plant; in mild winters indeed it will bear the open air,

especially if placed at the foot of a wall, or among rock-work; but, in such situations, it is frequently killed in severe seasons.

It flowers in May and June, but does not produce its blossoms so freely as some others.

No difficulty attends the propagation of it, for it increases so fast by its runners, as to be even troublesome.



[93]

SEMPERVIVUM MONANTHES. DWARF
HOUSELEEK.

Class and Order.

DODECANDRIA DODECAGYNIA.

Generic Character.

Calyx 12-partitus. *Petala* 12.
Capsulæ 12. polyspermæ.

Specific Character and Synonyms.

SEMPERVIVUM *monanthes*
foliis teretibus clavatis confertis,

pedunculis nudis subunifloris,
nectariis obcordatis. *Aiton. Hort.*
Kew.



Nº93

It appears from the *Hortus Kewensis*, the publication of which is daily expected, that the plant here figured was first brought to this country from the Canary Islands, by Mr. FRANCIS MASSON, in the year 1777.

It is highly deserving the notice of the Botanist, not only as being by far the least species of the genus, but on account of its Nectaria; these, though not mentioned by LINNÆUS in his character of the genus, have been described by other authors, particularly JACQUIN and HALLER; and though not present in most, and but faintly visible in a few species of *Sempervivum*, in this plant form a principal part of the fructification; they are usually seven in number, but vary

from six to eight.

In the specimens we have examined, and which perhaps have been rendered luxuriant by culture, the number of stamina has been from twelve to sixteen; of styles, from six to eight; of flowers on the same stalk, from one to eight.

It flowers during most of the summer months, succeeds very well with the common treatment of a greenhouse plant in the summer, but does best in a dry stove in the winter.

Is readily increased by parting its roots.

[94]

SISYRINCHIUM IRIODES. IRIS-LEAV'D
SISYRINCHIUM.

Class and Order.

GYNANDRIA TRIANDRIA.

Generic Character.

Monogyna. *Spatha* diphylla.
Petala 6 plana. *Capsula* tri-
locularis, infera.

Specific Character and Synonyms.

SISYRINCHIUM *iridioides* foliis

ensiformibus; petalis oblongo-obcordatis, venosis; germinibus pyriformibus, subhirsutis.

SISYRINCHIUM *Bermudiana*.
Lin. Syst. Vegetab. p. 820. var. 2.
Spec. Pl. p. 1353.

BERMUDIANA iridis folio,
radice fibrosa. *Dill. Elth.* 48. t.
41. f. 48.

SISYRINCHIUM *Bermudiana*
foliis gladiolatis amplexicaulibus,
pedunculis brevioribus. *Miller's*
Dict. ed. 6. 4to.



Nº94

On comparing the present plant with the *Bermudiana graminea flore minore* c[oe]ruleo of DILLENIUS, both of which I have growing, and now in pots before me, the difference appears so striking, that I am induced with him and MILLER to consider them as distinct species; especially as, on a close examination, there appear characters sufficient to justify me in the opinion, which characters are not altered by culture.

It is a native of the Bermudian Islands, and flowers in the open border from May to the end of July; it is not uncommon to keep it in the greenhouse, for which, from its size &c. it is very well adapted; but it is not necessary to treat it tenderly, as it will bear a greater

degree of cold than many plants usually considered as hardy.

It may be propagated most readily by seeds, or by parting its roots in the autumn; should be planted on a border with an eastern aspect; soil the same as for bulbs.



[95]

GERANIUM RADULA. RASP-LEAVD GERANIUM.

Class and Order.

MONADELPHIA DECANDRIA.

Generic Character.

Monogyna. *Stigmata* 5. *Fructus*
rostratus, 5-coccus.

Specific Character and Synonyms.

G E R A N I U M *revolutum*
pedunculis subbifloris, foliis
multifidis linearibus scabris ad

oras revolutis, caule arboreo.
Jacq. ic. 133. collect. 1. p. 84.

GERANIUM *Radula.* *Cavanill.*
Diss. 4. p. 262. t. 101. f. 1.



Nº95

This is one of the numerous tribe of *Geraniums* introduced from the Cape since the time of MILLER: it takes the name of *Radula*, which is the Latin term for a rasp or file, from the rough rasp-like surface of the leaves.

There are two varieties of it, a *major* and a *minor*, which keep pretty constantly to their characters; and as this species is readily raised from seeds, it affords also many seminal varieties.

As a Botanist, desirous of seeing plants distinct in their characters, we could almost wish it were impossible to raise these *foreign Geraniums* from seeds; for, without pretending to any extraordinary discernment, we may

venture to prophecy, that in a few years, from the multiplication of seminal varieties, springing from seeds casually, or perhaps purposely impregnated with the pollen of different sorts, such a crop will be produced as will baffle all our attempts to reduce to species, or even regular varieties.

Such as are partial to this tribe, will no doubt wish to have this species in their collection; the blossoms are pretty, and the foliage is singular, but it remains but a short time in flower.

It is readily propagated by cuttings.

[96]

LANTANA ACULEATA. PRICKLY LANTANA.

Class and Order.

DIDYNAMIA ANGIOSPERMIA.

Generic Character.

Calyx 4-dentatus obsolete. *Stigma* uncinato-refractum. *Drupa* nucleo 2-loculari.

Specific Character and Synonyms.

L A N T A N A *aculeata* foliis oppositis, caule aculeato ramoso

spicis hemisphæricis. *Lin. Syst.*
Veg. ed. 14. p. 566.



Nº96

According to MILLER, this species grows naturally in *Jamaica*, and most of the other Islands in the *West-Indies*, where it is called *wild Sage*; the flowers, which are very brilliant, are succeeded by roundish berries, which, when ripe, turn black, having a pulpy covering over a single hard seed.

It is readily propagated by cuttings.

Different plants vary greatly in the colour of their blossoms, and the prickliness of their stalks; the prickles are seldom found on the young shoots.

This plant will bear to be placed abroad in the warmest summer months, the rest of the year it requires artificial heat. It is

usually placed in the dry stove, to which, as it is seldom without flowers, it imparts great brilliancy.



[97]

FUCHSIA COCCINEA. SCARLET FUCHSIA.

Class and Order.

OCTANDRIA MONOGYNIA.

Generic Character.

Calyx 1-phyllus, coloratus, corollifer, maximus. *Petala* 4, parva, *Bacca* infera, 4-locularis, polysperma.

Specific Character and Synonyms.

FUCHSIA *coccinea* foliis

oppositis ovatis denticulatis;
petalis obovatis, obtusis. *Hort.*
Kew.

THILCO *Feuillée it. 3. p. 64. t.*
47.



Nº97

The present plant is a native of *Chili*, and was introduced to the royal gardens at Kew, in the year 1788, by Capt. FIRTH; it takes the name of *Fuchsia* from *Fuchs* a German Botanist of great celebrity, author of the *Historia Stirpium in folio*, published in 1542, containing five hundred and sixteen figures in wood; and which, though mere outlines, express the objects they are intended to represent, infinitely better than many laboured engravings of more modern times.

Every person who can boast a hot-house will be anxious to possess the *Fuchsia*, as it is not only a plant of peculiar beauty, but produces its rich pendant blossoms through most of the summer; the petals in the centre of the flower are

particularly deserving of notice; they somewhat resemble a small roll of the richest purple-coloured ribband.

Though this plant will not succeed well in the winter, nor be easily propagated unless in a stove, it will flower very well during the summer months, in a good greenhouse or hot-bed frame, and though at present from its novelty it bears a high price, yet as it is readily propagated, both by layers, cuttings, and seeds, it will soon be within the purchase of every lover of plants.

Mr. LEE, of Hammersmith, we understand first had this plant for sale.

[98]

TROPÆOLUM MINUS. or INDIAN-CRESS.

Class and Order.

Octandria Monogynia.

Generic Character.

Cal. 1-phyllus, calcaratus. *Petala* 5, inæqualia. *Bacca* tres, siccæ.

Specific Character and Synonyms.

TROPÆOLUM *minus* foliis
peltatis repandis, petalis
acuminato-setaceis. *Lin.* *Syst.*

Vegetab. p. 357.

Indian-Cresses, or yellow Larke's-
heeles. *Park. Parad. p. 280.*



Nº98

This species of *Tropæolum* (which like the *majus* already figured in this work, is a native of *Peru*) has long been an inhabitant of our gardens; it was the only species we had in the time of PARKINSON, by whom it is figured and described; it appears indeed to have been a great favourite with that intelligent author, for he says this plant "is of so great beauty and sweetnesse withall, that my garden of delight cannot bee unfurnished of it, and again the whole flower hath a fine small sent, very pleasing, which being placed in the middle of some Carnations or Gilloflowers (for they are in flower at the same time) make a delicate Tussimusie, as they call it, or Nosegay, both for sight and sent."

As the *Passiflora cærulea*, from its superior beauty and hardiness, has in a great degree supplanted the *incarnata*, so has the *Tropæolum majus* the *minus*; we have been informed indeed that it was entirely lost to our gardens till lately, when it was reintroduced by Dr. J. E. SMITH, who by distributing it to his friends, and the Nurserymen near London, has again rendered it tolerably plentiful.

Like the *majus* it is an annual, though by artificial heat it may be kept in a pot through the winter, as usually is the variety of it with double flowers; but as it will grow readily in the open air, in warm sheltered situations, it should be raised on a hot-bed, like other tender

annuals, if we wish to have it flower early in the summer, continue long in blossom, and produce perfect seeds.



[99]

ANTIRRHINUM PURPUREUM. PURPLE
TOAD-FLAX.

Class and Order.

DIDYNAMIA ANGIOSPERMIA.

Generic Character.

Calyx 5-phyllus. *Corollæ* basis
deorsum prominens, nectarifera.
Capsula 2-locularis.

Specific Character and Synonyms.

ANTIRRHINUM purpureum foliis

quaternis linearibus, caule erecto
spicato. *Lin. Syst. Vegetab. p.*
555.

LINARIA purpurea major odorata.
Bauh. Pin. 213.

LINARIA altera purpurea. *Dod.*
Pempt. 183.



Nº99

Though not so beautiful as many of the genus, this species is a common inhabitant of the flower-garden, in which it continues to blossom, during most of the summer.

It is a native of Italy, and delights in a dry soil and situation; it will even flourish on walls, and hence will serve very well to decorate the more elevated parts of rock-work.

When once introduced it comes up spontaneously from seeds.



[100]

LATHYRUS TINGITANUS. TANGIER PEA.

Class and Order.

DIADELPHIA DECANDRIA.

Generic Character.

Stylus planus, supra villosus,
superne latior, *Cal.* laciniaë
superiores 2-breviores.

Specific Character and Synonyms.

L A T H Y R U S *tingitanus*
pedunculis bifloris, cirrhis

diphyllis, foliolis alternis
lanceolatis glabris, stipulis
lunatis. *Lin. Syst. Vegetab. p. 663.*

LATHYRUS tingitanus, filiquis
orobi, flore amplo ruberrimo.
Moris, hist. 2. p. 55.



Nº100

The Tangier Pea, a native of Morocco, cannot boast the agreeable scent, or variety of colours of the sweet Pea; nor does it continue so long in flower; nevertheless there is a richness in the colour of its blossoms, which entitles it to a place in the gardens of the curious, in which it is usually sown in the spring, with other hardy annuals.

It flowers in June and July.

The best mode of propagating it, is to, sow the seeds on the borders in patches, where the plants are to remain; thinning them when they come up, so as to leave only two or three together.

[101]

ALYSSUM HALIMIFOLIUM. SWEET ALYSSUM.

Class and Order.

TETRADYNAMIA SILICULOSA.

Generic Character.

Filamenta quædam introrsum
denticulo notata. *Silicula*
emarginata.

Specific Character and Synonyms.

ALYSSUM *halimifolium* caulibus
suffruticosis, diffusis, foliis

lineari-lanceolatis integerrimis,
villosiusculis, staminibus
simplicibus, siliculis subrotundis
integris. *Hort. Kew. V. 2. p. 381.*

ALYSSUM halimifolium caulibus
procumbentibus, perennantibus,
foliis lanceolato-linearibus,
acutis, integerrimis. *Linn. Syst.
Vegetab. p. 590.*

Thlaspi halimi folio sempervirens.
Herm. lugd. 594. t. 595.



Nº101

Grows spontaneously in dry situations, in the southernmost parts of Europe, where it is shrubby; and in similar situations it is so in some degree with us; but on our flower-borders, where it is usually sown, it grows so luxuriantly, that the stalks becoming juicy and tender, are generally destroyed by our frosts; hence it is an annual from peculiarity of circumstance; as such, it is very generally cultivated; the flowers exhibit a pretty, innocent appearance, and strongly diffuse an agreeable honey-like smell. They continue to blow through most of the summer months.

It is a very proper plant for a wall or piece of rock-work; care must be taken, however, not to sow too much of the

seed in one pot, as it spreads wide, but it may easily be reduced at any period of its growth, as it does not creep at the root.

The specific description in the *Hortus Kewensis* above referred to, admirably characterizes the plant, but surely at the expence of its generic character.



[102]

CAMPANULA SPECULUM. VENUS'S
LOOKING-GLASS.

Class and Order.

PENTANDRIA MONOGYNIA.

Generic Character.

Corolla campanulata, fundo clauso valvis staminiferis. *Stigma* trifidum. *Capsula* infera, poris lateralibus dehiscens.

Specific Character and Synonyms.

CAMPANULA Speculum caule
ramosissimo, diffuso; foliis
oblongis subcrenatis, floribus
solitariis, capsulis prismaticis.
Linn. Syst. Vegetab. p. 209.

ONOBRYCHIS arvensis f.
Campanula arvensis erecta. *Bauh.
Pin. 215.*



Nº102

Grows wild among the corn in the South of Europe, is an annual, and, like the *Sweet Alyssum*, generally cultivated in our gardens, and most deservedly so indeed, for when a large assemblage of its blossoms are expanded by the rays of the sun, their brilliancy is such as almost to dazzle the eyes of the beholder.

Those annuals which bear our winter's frosts without injury, are advantageously sown in the autumn; for by that means they flower more early, and their seeds ripen with more certainty; the present plant is one of those: it usually sows itself, and is therefore raised without any trouble.

It begins to flower in May and June, and

continues to enliven the garden till
August or September.



[103]

PELARGONIUM ACETOSUM. SORREL
CRANE'S-BILL.

Class and Order.

MONADELPHIA HEPTANDRIA.

Generic Character.

Calyx 5-partitus: lacinia suprema
definente in tubulum capillarem,
nectariferum, secus pedunculum
decurrentem. *Cor.* 5-petala,
irregularis. *Filam.* 10. in æqualia:
quorum 3 (raro 5) castrata.

Fructus, 5-coccus, rostratus:
rostra spiralia, introrsum barbata.
L'Herit. Geran.

Specific Character and Synonyms.

PELARGONIUM *acetosum*
umbellis paucifloris, foliis
obovatis crenatis glabris carnosis,
petalis linearibus. *L'Herit.*
Monogr de Geran. n. 97.

GERANIUM *acetosum* calycibus
monophyllis, foliis glabris
obovatis carnosis crenatis, caule
fruticoso laxo. *Linn. Syst.*
Vegetab. ed. 14. Murr. p. 613. Sp.
Pl. p. 947.

GERANIUM

Africanum

frutescens, folio crasso et glauco
acetosæ sapore. *Comm. præl. 51.*
t. 1.



Nº103

Mons. L'HERITIER, the celebrated French Botanist, who in the number, elegance, and accuracy of his engravings, appears ambitious of excelling all his contemporaries, in a work now executing on the family of *Geranium*, has thought it necessary to divide that numerous genus into three, viz. *Erodium*, *Pelargonium*, and *Geranium*.

T h e *Erodium* includes those which LINNÆUS (who noticing the great difference in their appearance, had made three divisions of them) describes with five fertile stamina, and calls Myrrhina; the *Pelargonium* those with seven fertile stamina, his *Africana*; the *Geranium*, those with ten fertile stamina, his *Batrachia*.

They are continued under the class *Monadelphia*, in which they now form three different orders, according to the number of their stamina, viz. *Pentandria*, *Heptandria*, and *Decandria*. If the principles of the Linnæan system had been strictly adhered to, they should perhaps have been separated into different classes; for though the *Pelargonium* is Monadelphous, the *Geranium* is not so; in consequence of this alteration, the *Geranium peltatum* and *radula*, figured in a former part of this work, must now be called *Pelargonium peltatum*, and *radula*, and the *Geranium Reichardi* be an *Erodium*.

The leaves of this plant have somewhat

the taste of sorrel, whence its name, it flowers during most of the summer, and is readily propagated by cuttings. MILLER mentions a variety of it with scarlet flowers.

It is a native of the Cape, and known to have been cultivated in Chelsea Garden, in the year 1724.



[104]

LYSIMACHIA BULBIFERA. BULB-BEARING
LOOSESTRIFE.

Class and Order.

PENTANDRIA MONOGYNIA.

Generic Character.

Corolla rotata. *Capsula* globosa,
mucronata, 10-valvis.

Specific Character and Synonyms.

LYSIMACHIA *stricta* racemis
terminalibus, petalis lanceolatis

patulis, foliis lanceolatis
sessilibus. *Hort. Kew. p. 199.*



Nº104

In the spring of the year 1781, I received roots of this plant from Mr. ROBERT SQUIBB, then at New-York, which produced flowers the ensuing summer, since that time, I have had frequent opportunities of observing a very peculiar circumstance in its [oe]conomy; after flowering, instead of producing seeds, it throws out *gemmae vivaces*, or *bulbs* of an unusual form, from the alæ of the leaves, which falling off in the month of October, when the plant decays, produce young plants the ensuing spring.

As it is distinguished from all the known species of *Lysimachia* by this circumstance, we have named it *bulbifera* instead of *stricta*, under which it appears in the *Hortus Kewensis*.

Some Botanists, whose abilities we revere, are of opinion that the trivial names of plants, which are or should be a kind of abridgment of the specific character, ought very rarely or never to be changed: we are not for altering them capriciously on every trivial occasion, but in such a case as the present, where the science is manifestly advanced by the alteration, it would surely have been criminal to have preferred a name, barely expressive, to one which immediately identifies the plant.

The *Lysimachia bulbifera* is a hardy perennial, grows spontaneously in boggy or swampy ground, and hence requires a moist soil. It flowers in August.



[105]

TRADESCANTIA VIRGINICA. VIRGINIAN
TRADESCANTIA, OR SPIDERWORT.

Class and Order.

HEXANDRIA MONOGYNIA.

Generic Character.

Calyx triphyllus. *Petala* 3.
Filamenta villis articulatis.
Capsula 3-locularis.

Specific Character and Synonyms.

TRADESCANTIA *Virginica*

erecta lævis, floribus congestis.
Linn. Syst. Vegetab. ed. 14. Murr.
p. 314. Sp. Pl. 411.

ALLIUM five moly Virginianum.
Bauh. Pin. 506.

PHALANGIUM Ephemerum
Virginianum Joannis Tradescant.

The soon-fading Spiderwort of
Virginia, or Tradescant his
Spiderwort. *Park. Parad. 152. 5.*
t. 151. f. 4.



Nº105

Under the name of *Spiderwort*, the old Botanists arranged many plants of very different genera: the name is said to have arisen from the supposed efficacy of some of these plants, in curing the bite of a kind of spider, called *Phalangium*; not the *Phalangium* of LINNÆUS, which is known to be perfectly harmless: under this name, PARKINSON minutely describes it; he mentions also, how he first obtained it.

"This Spiderwort," says our venerable author, "is of late knowledge, and for it the Christian world is indebted unto that painful, industrious searcher, John Tradescant, who first received it of a friend that brought it out of Virginia, and hath imparted hereof, as of many other

things, both to me and others."

TOURNEFORT afterwards gave it the name of *Ephemerum*, expressive of the short duration of its flowers, which LINNÆUS changed to *Tradescantia*.

Though a native of Virginia, it bears the severity of our climate uninjured, and being a beautiful, as well as hardy perennial, is found in almost every garden.

Though each blossom lasts but a day, it has such a profusion in store, that it is seldom found without flowers through the whole of the summer. There are two varieties of it, the one with white the other with pale purple flowers. The most

usual way of propagating it is by parting its roots in autumn to obtain varieties, we must sow its seeds.



[106]

IBERIS UMBELLATA. PURPLE CANDY-TUFT.

Class and Order.

TETRADYNAMIA SILICULOSA.

Generic Character.

Corolla irregularis: *Petalis* 2
exterioribus majoribus: *Silicula*
polysperma, emarginata.

Specific Character and Synonyms.

IBERIS *umbellata* herbacea, foliis
lanceolatis, acuminatis,

inferioribus serratis; superioribus integerrimis. *Linn. Syst. Veg. ed. 14. Murr. p. 589. Sp. Pl. p. 906.*

THLASPI umbellatum creticum, iberidis folio. *Bauh. Pin. 106.*

DRABA S. Arabis S. Thlaspi Candiaë. *Dod. pempt. 713.*

THLASPI creticum umbellatum flore albo et purpureo. Candy-Tufts, white and purple. *Park. Parad. p. 390.*



Nº106

The Candy-Tuft is one of those annuals which contribute generally to enliven the borders of the flower-garden: its usual colour is a pale purple, there is also a white variety of it, and another with deep but very bright purple flowers, the most desirable of the three, but where a garden is large enough to admit of it, all the varieties may be sown.

For want of due discrimination, as MILLER has before observed, Nurserymen are apt to collect and mix with this species the seeds of another, viz. the *amara*, and which persons not much skilled in plants consider as the white variety; but a slight attention will discover it to be a very different plant, having smaller and longer heads,

differing also in the shape of its leaves and seed vessels, too trifling a plant indeed to appear in the flower-garden.

Purple Candy-Tuft is a native of the South of Europe, and flowers in June and July: it should be sown in the spring, on the borders of the flower-garden in patches; when the plants come up, a few only should be left, as they will thereby become stronger, produce more flowers, and be of longer duration.



[107]

CASSIA CHAMÆCRISTA. DWARF CASSIA.

Class and Order.

DECANDRIA MONOGYNIA.

Generic Character.

Calyx 5-phyllus. *Petala* 5.
Antheræ superne 3 steriles; infimæ
3 rostratæ. *Legumen*.

Specific Character and Synonyms.

CASSIA *Chamæcrista* foliis
multijugis, glandula petiolari

pedicellata, stipulis ensiformibus.
Linn. Syst. Vegetab. ed. 14. Murr.
p. 394. Hort. Kew. p. 54.

CHAMÆCRISTA pavonis major.
Comm. Hort. 1. p. 53. t. 37.



Nº107

A native of the West-Indies, and of Virginia according to LINNÆUS; not common in our gardens, though cultivated as long ago as 1699, by the DUCHESS OF BEAUFORT; (*vid. Hort. Kew.*) unnoticed by MILLER.

This species, superior in beauty to many of the genus, is an annual, and consequently raised only from seeds, these must be sown in the spring, on a hot-bed, and when large enough to transplant, placed separately in pots of light loamy earth, then replunged into a moderate hot-bed to bring them forward, and in the month of June removed into a warm border, where, if the season prove favourable, they will flower very well towards August; but, as such seldom

ripen their seeds, it will be proper to keep a few plants in the stove or greenhouse for that purpose, otherwise the species may be lost.



[108]

ANTHYLLIS TETRAPHYLLA. FOUR-LEAV'D
LADIES-FINGER.

Class and Order.

DIADELPHIA DECANDRIA.

Generic Character.

Calyx *ventricosus. Legumen*
subrotundum, tectum.

Specific Character and Synonyms.

A N T H Y L L I S *tetraphylla*
herbacea, foliis quaterno-pinnatis.

*Linn. Syst. Vegetab. ed. 14. Murr.
p. 25. Hort. Kew. vol. 3. p. 25.*

LOTUS pentaphyllos vesicaria.
Bauh. Pin. 332.

TRIFOLIUM halicacabum. *Cam.
Hort. 171. t. 47.*



Nº108

An annual; the spontaneous growth of Spain, Italy, and Sicily, flowers in the open border in July, and ripens its seeds, in September.

Long since cultivated in our gardens, but more as a rare, or curious, than a beautiful plant.

Its seeds are to be sown in April, on a bed of light earth, where they are to remain; no other care is necessary than thinning them, and keeping them clear of weeds.



INDEX.

In which the Latin Names of the Plants contained in the *Third Volume* are alphabetically arranged.

Pl.

[101](#) Alyssum halimifolium.

[108](#) Anthyllis tetraphylla.

[74](#) Antirrhinum triste.

[99](#) Antirrhinum purpureum.

[102](#) Campanula speculum.

[107](#) Cassia Chamæcrista.

[77](#) Centaurea montana.

- [81](#) Colutea arborescens.
- [76](#) Epilobium angustissimum.
- [97](#) Fuchsia coccinea.
- [95](#) Geranium Radula.
- [86](#) Gladiolus communis.
- [90](#) Gorteria rigens.
- [83](#) Hibiscus syriacus.
- [87](#) Hyoscyamus aureus.
- [106](#) Iberis umbellata.
- [91](#) Iris susiana.
- [82](#) Lachenalia tricolor.
- [100](#) Lathyrus tingitanus.
- [79](#) Lotus jacobæus.
- [104](#) Lysimachia bulbifera.
- [73](#) Monsonia speciosa.
- [88](#) Narcissus Bulbocodium.

- [78](#) Narcissus odorus.
- [103](#) Pelargonium acetosum.
- [75](#) Potentilla grandiflora.
- [92](#) Saxifraga sarmentosa.
- [93](#) Sempervivum monanthes.
- [94](#) Sisyrinchium iridioides.
- [85](#) Spartium junceum.
- [80](#) Spigelia marilandica.
- [105](#) Tradescantia virginica.
- [98](#) Tropæolum minus.
- [85](#) Tussilago alpina.
- [89](#) Viola pedata.

INDEX.

In which the English Names of the Plants contained in the *Third Volume* are alphabetically arranged.

Pl.

[101](#) Alyssum sweet.

[77](#) Blue-bottle greater.

[85](#) Broom Spanish.

[106](#) Candy-tuft purple.

[107](#) Cassia dwarf.

[84](#) Coltsfoot alpine.

[81](#) Colutea, or Bladder-Senna tree.

- [86](#) Corn-flag common.
- [103](#) Crane's-bill sorrel.
- [97](#) Fuchsia scarlet.
- [95](#) Geranium rasp-leav'd.
- [90](#) Gorteria rigid-leav'd.
- [87](#) Henbane golden-flower'd.
- [83](#) Hibiscus Syrian.
- [93](#) Houseleek dwarf.
- [91](#) Iris chalcedonian.
- [78](#) Jonquil great.
- [82](#) Lachenalia three-colour'd.
- [108](#) Ladies finger four-leav'd.
- [96](#) Lantana prickly.
- [102](#) Looking-glass Venus's.
- [104](#) Loosestrife bulb-bearing.
- [79](#) Lotus black-flower'd.

- [73](#) Monsonia large-flower'd.
- [88](#) Narcissus hoop-petticoat.
- [100](#) Pea Tangier.
- [75](#) Potentilla large-flower'd,
- [92](#) Saxifrage Strawberry.
- [94](#) Sisyrinchium Iris-leav'd.
- [80](#) Spigelia, or Worm-grass
Maryland.
- [74](#) Toad-flax black-flower'd.
- [99](#) Toad-flax purple.
- [105](#) Tradescantia Virginian.
- [94](#) Tropæolum, or Indian cress, small.
- [89](#) Violet cut-leav'd.
- [76](#) Willow-herb narrowest-leav'd.

End of Project Gutenberg's The Botanical Magazine, Vol. 3, by William Curtis

*** END OF THIS PROJECT GUTENBERG EBOOK
THE BOTANICAL MAGAZINE, VOL. 3 ***

***** This file should be named 17672-
h.htm or 17672-h.zip *****

This and all associated files of various
formats will be found in:

<http://www.gutenberg.org/1/7/6/7/17672/>

Produced by Jason Isbell, Janet
Blenkinship and the Online
Distributed Proofreaders Europe at
<http://dp.rastko.net>

Updated editions will replace the
previous one--the old editions
will be renamed.

Creating the works from public domain

print editions means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg-tm electronic works to protect the PROJECT GUTENBERG-tm concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for the eBooks, unless you receive specific permission. If you do not charge anything for copies of this eBook, complying with the rules is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. They may be modified and printed and given away--you may do practically ANYTHING with public domain

eBooks. Redistribution is
subject to the trademark license,
especially commercial
redistribution.

*** START: FULL LICENSE ***

THE FULL PROJECT GUTENBERG LICENSE
PLEASE READ THIS BEFORE YOU DISTRIBUTE
OR USE THIS WORK

To protect the Project Gutenberg-tm
mission of promoting the free
distribution of electronic works, by
using or distributing this work
(or any other work associated in any way
with the phrase "Project
Gutenberg"), you agree to comply with
all the terms of the Full Project
Gutenberg-tm License (available with
this file or online at
<http://gutenberg.org/license>).

Section 1. General Terms of Use and Redistributing Project Gutenberg-tm electronic works

1.A. By reading or using any part of this Project Gutenberg-tm electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg-tm electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg-tm electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. "Project Gutenberg" is a registered

trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg-tm electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg-tm electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg-tm electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation ("the Foundation" or PGLAF), owns a compilation copyright in the collection of Project Gutenberg-tm electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is in the public domain

in the United States and you are located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg-tm mission of promoting free access to electronic works by freely sharing Project Gutenberg-tm works in compliance with the terms of this agreement for keeping the Project Gutenberg-tm name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg-tm License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in

a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg-tm work. The Foundation makes no representations concerning the copyright status of any work in any country outside the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg-tm License must appear prominently whenever any copy of a Project Gutenberg-tm work (any work on which the phrase "Project Gutenberg" appears, or with which the phrase "Project Gutenberg" is associated) is accessed,

displayed, performed, viewed,
copied or distributed:

This eBook is for the use of anyone
anywhere at no cost and with
almost no restrictions whatsoever. You
may copy it, give it away or
re-use it under the terms of the Project
Gutenberg License included
with this eBook or online at
www.gutenberg.org

1.E.2. If an individual Project
Gutenberg-tm electronic work is derived
from the public domain (does not contain
a notice indicating that it is
posted with permission of the copyright
holder), the work can be copied
and distributed to anyone in the United
States without paying any fees
or charges. If you are redistributing or
providing access to a work
with the phrase "Project Gutenberg"
associated with or appearing on the
work, you must comply either with the
requirements of paragraphs 1.E.1

through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg-tm trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg-tm electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg-tm License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg-tm License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg-tm.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg-tm License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg-tm work in a format other than "Plain Vanilla ASCII" or other format used in the official version posted on the official Project Gutenberg-tm web site (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a

means of obtaining a copy upon request, of the work in its original "Plain Vanilla ASCII" or other form. Any alternate format must include the full Project Gutenberg-tm License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg-tm works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg-tm electronic works provided that

- You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg-tm works calculated using the method you already use to calculate your applicable taxes. The fee is

owed to the owner of the Project Gutenberg-tm trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, "Information about donations to the Project Gutenberg Literary Archive Foundation."

- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg-tm License. You must require such a user to

return or
destroy all copies of the works
possessed in a physical medium
and discontinue all use of and all
access to other copies of
Project Gutenberg-tm works.

- You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.

- You comply with all other terms of this agreement for free distribution of Project Gutenberg-tm works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg-tm electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from

both the Project Gutenberg Literary Archive Foundation and Michael Hart, the owner of the Project Gutenberg-tm trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread public domain works in creating the Project Gutenberg-tm collection. Despite these efforts, Project Gutenberg-tm electronic works, and the medium on which they may be stored, may contain "Defects," such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that

damage or cannot be read by
your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF
DAMAGES - Except for the "Right
of Replacement or Refund" described in
paragraph 1.F.3, the Project
Gutenberg Literary Archive Foundation,
the owner of the Project
Gutenberg-tm trademark, and any other
party distributing a Project
Gutenberg-tm electronic work under this
agreement, disclaim all
liability to you for damages, costs and
expenses, including legal
fees. YOU AGREE THAT YOU HAVE NO
REMEDIES FOR NEGLIGENCE, STRICT
LIABILITY, BREACH OF WARRANTY OR BREACH
OF CONTRACT EXCEPT THOSE
PROVIDED IN PARAGRAPH F3. YOU AGREE THAT
THE FOUNDATION, THE
TRADEMARK OWNER, AND ANY DISTRIBUTOR
UNDER THIS AGREEMENT WILL NOT BE
LIABLE TO YOU FOR ACTUAL, DIRECT,
INDIRECT, CONSEQUENTIAL, PUNITIVE OR
INCIDENTAL DAMAGES EVEN IF YOU GIVE

NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you 'AS-IS', WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to

indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg-tm electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg-tm electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a) distribution of this or any Project Gutenberg-tm work, (b) alteration, modification, or additions or deletions to any Project Gutenberg-tm work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg-tm

Project Gutenberg-tm is synonymous with the free distribution of

electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need, is critical to reaching Project Gutenberg-tm's goals and ensuring that the Project Gutenberg-tm collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg-tm and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation web page at <http://www.pglaaf.org>.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification number is 64-6221541. Its 501(c)(3) letter is posted at <http://pglaf.org/fundraising>. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's principal office is located at 4557 Melan Dr. S. Fairbanks, AK, 99712., but its

volunteers and employees are scattered throughout numerous locations. Its business office is located at 809 North 1500 West, Salt Lake City, UT 84116, (801) 596-1887, email business@pglaf.org. Email contact links and up to date contact information can be found at the Foundation's web site and official page at <http://pglaf.org>

For additional contact information:
Dr. Gregory B. Newby
Chief Executive and Director
gbnewby@pglaf.org

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg-tm depends upon and cannot survive without wide spread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be

freely distributed in machine readable form accessible by the widest array of equipment including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit <http://pglaf.org>

While we cannot and do not solicit contributions from states where we

have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg Web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit:
<http://pglaf.org/donate>

Section 5. General Information About Project Gutenberg-tm electronic works.

Professor Michael S. Hart is the originator of the Project Gutenberg-tm concept of a library of electronic works that could be freely shared with anyone. For thirty years, he produced and distributed Project Gutenberg-tm eBooks with only a loose network of volunteer support.

Project Gutenberg-tm eBooks are often created from several printed editions, all of which are confirmed as Public Domain in the U.S. unless a copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our Web site which has the main PG search facility:

<http://www.gutenberg.org>

This Web site includes information about Project Gutenberg-tm,

including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.

*** END: FULL LICENSE ***